		Page: 1
<b>SAFETY DATA SHEET</b>		Revision Date: 03/17/2026
		Print Date: 05/21/2026
		SDS Number: R1901080
No data. 60061783		Version: 3.0

## SECTION 1. IDENTIFICATION

### Product identifier

Trade name : No data available

### Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Laundry aid

Recommended restrictions on use : For professional use only

<p><b>Details of the supplier of the safety data sheet</b>  Diversey Canada, Inc.  6150 Kennedy Road Unit 3 Mississauga, Ontario  L5T 2J4</p> <p>Canada</p> <p>HazardCommunication@solenis.com</p>	<p><b>Emergency telephone</b>  1-800-851-7145 (U.S.); 1-651-917-6133  (Int'l)</p> <p><b>Product Information</b>  1-800-668-7171  Diversey.com</p>
--	---

## SECTION 2. HAZARDS IDENTIFICATION

### Classification for the undiluted product

#### GHS Classification

Corrosive to Metals : Category 1


Acute toxicity (Oral) : Category 4

Skin corrosion : Category 1C

Serious eye damage : Category 1

Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

#### GHS label elements

		Page: 2
<b>SAFETY DATA SHEET</b>		Revision Date: 03/17/2026
		Print Date: 05/21/2026
		SDS Number: R1901080
No data. 60061783		Version: 3.0

Hazard pictograms :



Signal Word :

Danger

Hazard Statements :

H290 May be corrosive to metals.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H335 May cause respiratory irritation.

Precautionary Statements :

**Prevention:**

P234 Keep only in original packaging.  
P261 Avoid breathing mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P363 Wash contaminated clothing before reuse.  
P390 Absorb spillage to prevent material damage.

**Storage:**


P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

	Page: 3
	Revision Date: 03/17/2026
	Print Date: 05/21/2026
	SDS Number: R1901080
No data. 60061783	Version: 3.0

**Classification for the diluted product** 0.713 % % W/W

**GHS classification in accordance with the Hazardous Products Regulations**

Not a hazardous substance or mixture.

**GHS label elements**

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**


Chemical name	CAS-No.	Concentration (% w/w)
ORGANIC ACID	77-92-9	>= 10 - < 30
AMMONIUM BIFLUORIDE	1341-49-7	>= 5 - < 10

Actual concentration or concentration range is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES**

**Undiluted product:**

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this material safety data sheet to the doctor in attendance.
- If inhaled : Do not leave the victim unattended.  
Move to fresh air.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.  
If skin irritation persists, call a physician.  
If on clothes, remove clothes.  
If on skin, rinse well with water.  
Wash contaminated clothing before re-use.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible

		Page: 4
<b>SAFETY DATA SHEET</b>		Revision Date: 03/17/2026
		Print Date: 05/21/2026
		SDS Number: R1901080
No data. 60061783		Version: 3.0

tissue damage and blindness.  
 In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
 Continue rinsing eyes during transport to hospital.  
 Remove contact lenses.  
 Protect unharmed eye.  
 Keep eye wide open while rinsing.  
 If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
 Clean mouth with water and drink afterwards plenty of water.  
 Take victim immediately to hospital.  
 Get medical attention immediately.  
 Do NOT induce vomiting.  
 Rinse mouth with water.  
 Do not give milk or alcoholic beverages.  
 Never give anything by mouth to an unconscious person.  
 If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : Harmful if swallowed.  
 Causes serious eye damage.  
 May cause respiratory irritation.  
 Causes severe burns.


Notes to physician : Treat symptomatically.

**Diluted product:**

General advice	: Do not leave the victim unattended.
If inhaled	: If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
In case of eye contact	: Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

		Page: 5
<b>SAFETY DATA SHEET</b>		Revision Date: 03/17/2026
		Print Date: 05/21/2026
		SDS Number: R1901080
No data. 60061783		Version: 3.0


circumstances and the surrounding environment.  
 Water spray  
 Foam  
 Carbon dioxide (CO2)  
 Dry chemical

- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release.  
Do not allow run-off from fire fighting to enter drains or water courses.
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.  
Comply with all applicable federal, state, and local regulations.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.  
Should not reach sewage water or drainage ditch undiluted or unneutralised
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

		Page: 6
<b>SAFETY DATA SHEET</b>		Revision Date: 03/17/2026
		Print Date: 05/21/2026
		SDS Number: R1901080
No data. 60061783		Version: 3.0

Keep in suitable, closed containers for disposal.

---

## SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : To avoid spills during handling keep bottle on a metal tray.  
 Avoid formation of aerosol.  
 Provide sufficient air exchange and/or exhaust in work rooms.  
 Do not breathe vapors/dust.  
 Do not smoke.  
 Container hazardous when empty.  
 Avoid exposure - obtain special instructions before use.  
 Avoid contact with skin and eyes.  
 Smoking, eating and drinking should be prohibited in the application area.  
 For personal protection see section 8.  
 Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Electrical installations / working materials must comply with the technological safety standards.  
 Keep container tightly closed in a dry and well-ventilated place.  
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
 Observe label precautions.
- Materials to avoid : Do not store near acids.
- Further information on storage stability : No decomposition if stored and applied as directed.


---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
AMMONIUM BIFLUORIDE	1341-49-7	TWA	2.5 mg/m <sup>3</sup> (Fluorine)	CA AB OEL
		TWAEV	2.5 mg/m <sup>3</sup> (Fluorine)	CA QC OEL
		TWA	2.5 mg/m <sup>3</sup> (Fluorine)	CA BC OEL

**Undiluted product:**

		Page: 7
<b>SAFETY DATA SHEET</b>		Revision Date: 03/17/2026
		Print Date: 05/21/2026
		SDS Number: R1901080
No data. 60061783		Version: 3.0

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section. Covering activities such as filling and transfer of product to application equipment, flasks or buckets

**Appropriate engineering controls** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Protective measures : No special requirements under normal use conditions

**Personal protective equipment**

Respiratory protection : In the case of vapor formation use a respirator with an approved filter.

A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.

Hand protection


Remarks : Wear resistant gloves (consult your safety equipment supplier). Discard gloves that show tears, pinholes, or signs of wear. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact:

Material: butyl rubber  
 Penetration time: ≥ 480 min  
 Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes:

Material: nitrile rubber  
 Penetration time: ≥ 30 min  
 Material thickness: ≥ 0.4 mm

		Page: 8
<b>SAFETY DATA SHEET</b>		Revision Date: 03/17/2026
		Print Date: 05/21/2026
		SDS Number: R1901080
No data. 60061783		Version: 3.0

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

- Protective measures : No special requirements under normal use conditions
- Eye protection : Wear face-shield and protective suit for abnormal processing problems.  
 Eye wash bottle with pure water  
 Tightly fitting safety goggles  
 Safety glasses or goggles (EN 16321)  
 The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur
- Skin and body protection : Wear as appropriate:  
 Impervious clothing  
 Chemical resistant apron  
 Safety shoes  
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
 Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605)
- Hygiene measures : When using do not smoke.  
 Wash hands before breaks and at the end of workday.  
 When using do not eat or drink.  
 Ensure that eyewash stations and safety showers are close to the workstation location.

**Diluted product:**

Maximum recommended use concentration (% w/w): 0.713 %

**Appropriate engineering controls** : General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

**Personal protective equipment**

Respiratory protection : No personal respiratory protective equipment normally required.

Protective measures : No special requirements under normal use conditions

Hand protection

Remarks : No special requirements under normal use conditions

		Page: 9
<b>SAFETY DATA SHEET</b>		Revision Date: 03/17/2026
		Print Date: 05/21/2026
		SDS Number: R1901080
No data. 60061783		Version: 3.0


Eye protection	:	<p>Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.</p> <p>Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 16321)</p>
Skin and body protection	:	<p>Wear as appropriate: Safety shoes Wear resistant gloves (consult your safety equipment supplier).</p>
Hygiene measures	:	<p>General industrial hygiene practice. No special requirements under normal use conditions</p>

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Undiluted product:

Appearance	:	liquid
Color	:	colorless
Odor	:	To Match Standard (TMS)
Odor Threshold	:	No data available
Melting point/freezing point	:	0.00 °C
Boiling point/boiling range	:	No data available
Flash point	:	> 93.4 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available, Not applicable to liquids
Flammability (liquids)	:	Not flammable.
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available

		Page: 10
<b>SAFETY DATA SHEET</b>		Revision Date: 03/17/2026
		Print Date: 05/21/2026
		SDS Number: R1901080
No data. 60061783		Version: 3.0

Lower explosion limit / Lower flammability limit : No data available  
 Vapor pressure : No data available  
 Relative vapor density : No data available  
 Relative density : No data available  
 Density : 1.1400 g/cm3  
 Solubility(ies)  
     Water solubility : completely soluble, Fully miscible  
     Solubility in other solvents : No data available  
 Partition coefficient: n-octanol/water : No data available  
 Decomposition temperature : No data available  
 Viscosity  
     Viscosity, dynamic : No data available  
     Viscosity, kinematic : 5.000 mm2/s  
 Explosive properties : Not explosive  
 Oxidizing properties : Non Oxidative  
 Elemental Phosphorous : 0.00 %  
 Metal corrosion rate : Corrosive to metals  
 Particle characteristics  
     Particle size : No data available  
     Particle Size Distribution : No data available


Diluted product:

Flash point : > 93.4 °C

pH : 4.5

---

**SECTION 10. STABILITY AND REACTIVITY**

		Page: 11
<b>SAFETY DATA SHEET</b>		Revision Date: 03/17/2026
		Print Date: 05/21/2026
		SDS Number: R1901080
No data. 60061783		Version: 3.0

- Reactivity : No reactivity hazards known under normal storage and use conditions
- Chemical stability : Stable under recommended storage conditions.
- Possibility of hazardous reactions : Product will not undergo hazardous polymerization. Stable under recommended storage conditions. No hazards to be specially mentioned.
- Conditions to avoid : No data available
- Incompatible materials : Reacts with alkalis.  
May be corrosive to metals.  
Keep away from products containing chlorine-based bleaching agents or sulphites
- Hazardous decomposition products : None known under normal storage and use conditions

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Harmful if swallowed.

### Components:

#### **ORGANIC ACID:**

- Acute oral toxicity : LD50 (Mouse): 5,040 mg/kg
- Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

#### **AMMONIUM BIFLUORIDE:**

- Acute oral toxicity : LD50 (Rat): ca. 130 mg/kg


### **Skin corrosion/irritation**

Causes severe burns.

### Product:

- Method : Weight of evidence
- Result : Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.

- Remarks : Extremely corrosive and destructive to tissue.  
Causes severe skin burns and eye damage.

		Page: 12
<b>SAFETY DATA SHEET</b>		Revision Date: 03/17/2026
		Print Date: 05/21/2026
		SDS Number: R1901080
No data. 60061783		Version: 3.0

**Components:**

**ORGANIC ACID:**

Result : Slightly irritating to skin

**AMMONIUM BIFLUORIDE:**

Result : Corrosive to skin

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Product:**

Remarks : May cause irreversible eye damage.

**Components:**

**ORGANIC ACID:**

Result : Severely irritating to eyes

**AMMONIUM BIFLUORIDE:**

Result : Corrosive to eyes

**Respiratory or skin sensitization**

**Skin sensitization**

Not classified due to lack of data.

**Respiratory sensitization**

Not classified due to lack of data.

**Germ cell mutagenicity**

Not classified due to lack of data.

**Carcinogenicity**

Not classified due to lack of data.

**Reproductive toxicity**

Not classified due to lack of data.

**STOT-single exposure**

May cause respiratory irritation.

**Components:**

**ORGANIC ACID:**

Assessment : May cause respiratory irritation.

**STOT-repeated exposure**

Not classified due to lack of data.

		Page: 13
<b>SAFETY DATA SHEET</b>		Revision Date: 03/17/2026
		Print Date: 05/21/2026
		SDS Number: R1901080
No data. 60061783		Version: 3.0

**Aspiration toxicity**

Not classified due to lack of data.

**Further information**

**Product:**

Remarks : No data available

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

No data available

**Persistence and degradability**

**Components:**

**ORGANIC ACID:**

Biodegradability : Result: Readily biodegradable.  
 Biodegradation: 97 %  
 Exposure time: 28 d  
 Method: OECD Test Guideline 301E

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects**

**Product:**


Additional ecological information : No data available

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues : Send to a licensed waste management company.  
 Do not dispose of waste into sewer.  
 Do not contaminate ponds, waterways or ditches with chemical or used container.  
  
 Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.  
 Dispose of as unused product.  
 Empty containers should be taken to an approved waste handling site for recycling or disposal.

		Page: 14
<b>SAFETY DATA SHEET</b>		Revision Date: 03/17/2026
		Print Date: 05/21/2026
		SDS Number: R1901080
No data. 60061783		Version: 3.0

Do not re-use empty containers.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### IATA-DGR

UN number : UN 3264  
 Proper shipping name : Corrosive liquid, acidic, inorganic, n.o.s. (AMMONIUM BIFLUORIDE)  
 Class : 8  
 Packing group : II  
 Packing instruction (cargo aircraft) : 855  
 Packing instruction (passenger aircraft) : 851

#### IMDG-Code

UN number : UN 3264  
 Proper shipping name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (AMMONIUM BIFLUORIDE)  
 Class : 8  
 Packing group : II  
 EmS Code : F-A, S-B  
 Marine pollutant : no

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

#### TDG

UN number : UN 3264  
 Proper shipping name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (AMMONIUM BIFLUORIDE)  
 Class : 8  
 Packing group : II  
 ERG Code : 154  
 Marine pollutant : no

#### Special precautions for user


The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

#### The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

		Page: 15
<b>SAFETY DATA SHEET</b>		Revision Date: 03/17/2026
		Print Date: 05/21/2026
		SDS Number: R1901080
No data. 60061783		Version: 3.0

TSCA	:	All substances listed as active on the TSCA inventory
AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL
ENCS	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory

#### Canadian lists

No substances are subject to a Significant New Activity Notification.

---

## SECTION 16. OTHER INFORMATION


### Further information

Revision Date : 03/17/2026

### Full text of other abbreviations

CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWAEV	:	Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50

		Page: 16
<b>SAFETY DATA SHEET</b>		Revision Date: 03/17/2026
		Print Date: 05/21/2026
		SDS Number: R1901080
No data. 60061783		Version: 3.0

- Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

CA / EN