



Revision Date: 04-Jun-2026

Safety Data Sheet

Spartan Chemical Company, Inc.

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name: SD-20 ALL PURPOSE DEGREASER (AEROSOL)
Product Code: 6520
Recommended Use: Cleaning agent
Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.
1110 Spartan Drive
Maumee, Ohio 43537 USA
800-537-8990 (Business hours)
www.spartanchemical.com

24 Hour Emergency Phone

Numbers:
Medical Emergency/Information: 888-314-6171
Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Serious eye damage/eye irritation: Category 2A
Aerosols Category 3

Label elements

Signal word:

Symbols:

Warning



Hazard statements: Causes serious eye irritation
Physical hazards: Pressurized container: May burst if heated

Precautionary Statements - Prevention:

Wash face, hands and any exposed skin thoroughly after handling
Wear eye/face protection
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
Do not pierce or burn, even after use
Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal

Precautionary Statements - Response:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Precautionary Statements - Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Precautionary Statements - Disposal: Not applicable

Hazards not otherwise classified (HNOC): Not applicable

Other hazards:

- May be harmful if swallowed
- May cause skin irritation.
- Inhalation of vapors or mist may cause respiratory irritation.
- Keep out of reach of children

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Water	7732-18-5	65-85
Butoxydiglycol	112-34-5	5-10
Butane	106-97-8	3-7
Isopropyl Alcohol	67-63-0	1-5
Secondary Alcohol Ethoxylate	84133-50-6	1-5
Propane	74-98-6	0.1-1
Tetrapotassium Pyrophosphate	7320-34-5	0.1-1
Fragrance	PROPRIETARY	<0.1
Ammonium Hydroxide	1336-21-6	<0.1
Terpineol	98-55-5	<0.1
A-Terpinyl Acetate	80-26-2	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Eye contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Skin contact: Wash with soap and water. If skin irritation occurs: Get medical attention.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or physician if you feel unwell.

Ingestion: Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.

Note to physicians: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Water spray or fog. Foam.

Specific Hazards Arising from the Chemical: Extremely flammable aerosol. Exposure to high temperature may cause containers to burst. Bursting aerosol containers may be propelled from fire at high speed.

Hazardous Combustion Products: May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Precautions for Firefighters: Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Water may be used to cool closed containers to prevent pressure build-up and possible auto ignition or explosion when exposed to extreme heat.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Environmental Precautions: Do not rinse spill onto the ground, into storm sewers or bodies of water.

Methods for cleaning up: Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on safe handling: Handle in accordance with good industrial hygiene and safety practice. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Wash thoroughly after handling.

Storage Conditions: NFPA 30B Level 1 Aerosol. Do not store in direct sunlight or above 122 F° / 50 C°. Exposure to high temperature may cause containers to burst. Keep out of the reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Butoxydiglycol 112-34-5	TWA: 10 ppm inhalable fraction and vapor	-	-
Butane 106-97-8	STEL: 1000 ppm explosion hazard	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 1600 ppm TWA: 800 ppm TWA: 1900 mg/m ³
Isopropyl Alcohol 67-63-0	TWA: 200 ppm STEL: 400 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³
Propane 74-98-6	: See Appendix F: Minimal Oxygen Content, explosion hazard Simple asphyxiant	TWA: 1000 ppm TWA: 1800 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m ³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m ³

Engineering Controls: Provide good general ventilation.
If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.

Individual protection measures, such as personal protective equipment

Eye/face protection: Wear splash goggles.

Skin and body protection: Not required with expected use.

Respiratory protection: Not required with expected use.
If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.

General hygiene considerations: Wash hands and any exposed skin thoroughly after handling.
See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state: Aerosol

Color: Colorless

Odor: Pleasant

Odor Threshold: No information available

Property	Values	Remarks • Method
pH:	10.5-11.5	
Melting Point / Freezing Point:	No data available	
Boiling Point / Boiling Range:	100 °C / 212 °F	(Product without propellant)
Flash Point:	< -18 °C / 0 °F	(Propellant-estimated)
Evaporation Rate:	< 1	
Flammability (solid, gas):	No data available	No information available
Flammability Limits in Air:		No information available
Upper Flammability Limit:	No data available	

Lower Flammability Limit:	No data available	
Vapor Pressure:	No data available	No information available
Vapor Density:	No data available	No information available
Relative Density:	1.0	(Product without propellant)
Solubility(ies):	Soluble in water	
Partition Coefficient:	No data available	No information available
Autoignition Temperature:	Not applicable	
Decomposition Temperature:	Not applicable	
Kinematic Viscosity:	No information available	No information available
Particle characteristics:	Not applicable	

10. STABILITY AND REACTIVITY

Reactivity:	This material is considered to be non-reactive under normal conditions of use.
Chemical stability:	Stable under normal conditions.
Possibility of hazardous reactions:	Not expected to occur with normal handling and storage.
Conditions to Avoid:	Extremes of temperature and direct sunlight
Incompatible materials:	Strong oxidizing agents. Strong acids.
Hazardous decomposition products:	May include carbon monoxide, carbon dioxide (CO ₂) and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Eyes, Skin, Ingestion, Inhalation.
Symptoms of Exposure:	
Eye contact:	Pain, redness, swelling of the conjunctiva and blurred vision.
Skin contact:	Drying of the skin.
Inhalation:	Nasal discomfort and coughing.
Ingestion:	Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information:	Data not available or insufficient for classification.
Target organ effects:	Central nervous system. Eyes. Respiratory system. Skin.

Acute toxicity

Numerical measures of toxicity:

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	18,535.70 mg/kg
ATEmix (dermal)	21,854.00 mg/kg
ATEmix (inhalation-gas)	4,566,043.60 ppm
ATEmix (inhalation-vapor)	1,354.70 mg/l
ATEmix (inhalation-dust/mist)	74.60 mg/l

Component Information:

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Butoxydiglycol 112-34-5	= 5660 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-
Butane 106-97-8	-	-	= 658 g/m ³ (Rat) 4 h
Isopropyl Alcohol 67-63-0	4710 - 5840 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	> 10000 ppm (Rat) 6 h
Secondary Alcohol Ethoxylate 84133-50-6	= 2100 mg/kg (Rat)	-	-
Propane 74-98-6	-	-	> 800000 ppm (Rat) 15 min
Tetrapotassium Pyrophosphate 7320-34-5	-	> 2000 mg/kg (Rabbit)	> 1.1 mg/L (Rat) 4 h
Ammonium Hydroxide 1336-21-6	= 350 mg/kg (Rat)	-	-

Terpineol 98-55-5	= 5170 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
A-Terpinyol Acetate 80-26-2	= 5075 mg/kg (Rat)	-	-

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Butoxydiglycol 112-34-5	EC50: >100mg/L (96h, <i>Desmodesmus subspicatus</i>)	LC50: =1300mg/L (96h, <i>Lepomis macrochirus</i>)	-	EC50: >100mg/L (48h, <i>Daphnia magna</i>)
Isopropyl Alcohol 67-63-0	EC50: >1000mg/L (96h, <i>Desmodesmus subspicatus</i>) EC50: >1000mg/L (72h, <i>Desmodesmus subspicatus</i>)	LC50: =9640mg/L (96h, <i>Pimephales promelas</i>) LC50: =11130mg/L (96h, <i>Pimephales promelas</i>) LC50: >1400000µg/L (96h, <i>Lepomis macrochirus</i>)	-	EC50: =13299mg/L (48h, <i>Daphnia magna</i>)
Secondary Alcohol Ethoxylate 84133-50-6	-	LC50: =3.2mg/L (96h, <i>Pimephales promelas</i>)	-	EC50: =3.2mg/L (48h, water flea)
Tetrapotassium Pyrophosphate 7320-34-5	-	LC50: >100mg/L (96h, <i>Oncorhynchus mykiss</i>)	-	EC50: >100mg/L (48h, water flea)
Ammonium Hydroxide 1336-21-6	-	LC50: =8.2mg/L (96h, <i>Pimephales promelas</i>)	-	EC50: =0.66mg/L (48h, water flea) EC50: =0.66mg/L (48h, <i>Daphnia pulex</i>)
A-Terpinyol Acetate 80-26-2	-	LC50: >11mg/L (96h, <i>Pimephales promelas</i>)	-	-

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

Mobility in Soil: No information available

Other adverse effects: No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused products: Dispose of in accordance with federal, state and local regulations.

Contaminated packaging: Pressurized container: Do not pierce or burn, even after use. Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

UN/ID No: UN1950

Proper Shipping Name: Aerosols

Hazard Class: 2.2

Special Provisions: This product meets the exception requirements of section 49 CFR 173.306 as a limited quantity and may be shipped as a limited quantity. Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

IMDG:

UN number or ID number: UN1950
Proper Shipping Name: Aerosols
Hazard Class: 2.2
Additional information: Limited Quantity

15. REGULATORY INFORMATION

TSCA (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

Butoxydiglycol - 112-34-5

applies to R-(OCH₂CH₂)_n-OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or Sulfonate Chemical Category N230

SARA 311/312 Hazard Categories

Acute health hazard:	Yes
Chronic Health Hazard:	No
Fire hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

<u>NFPA</u>	Health hazards: 2	Flammability: 1	Instability: 0	Special hazards: *
<u>HMIS</u>	Health hazards: 2	Flammability: 2	Physical hazards: 2	

Revision Date: 04-Jun-2026
Revision Note: Section, 3, 7, 9, 11, 12

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet