



Safety Data Sheet

Spartan Chemical Company, Inc.

Revision Date: 04-Apr-2019

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: PAA SANITIZER
Product Number: 3127
Recommended Use: No Rinse Sanitizer Disinfectant
Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.
1110 Spartan Drive
Maumee, Ohio 43537 USA
800-537-8990 (Business hours)
www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171
Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Skin Corrosion/Irritation: Category 1
Serious Eye Damage/Eye Irritation: Category 1
Specific Target Organ Toxicity (Single Exposure): Category 3 (Respiratory tract)
Oxidizing Liquids: Category 2
Corrosive to Metals: Category 1

GHS Label Elements

Signal Word:

Symbols:

Danger



Hazard Statements:

Causes severe skin burns and serious eye damage.
May cause respiratory irritation
May intensify fire; oxidizer
May be corrosive to metals.

Precautionary Statements:

Prevention:

Do not breathe mist, vapors or spray.
Wash hands and any exposed skin thoroughly after handling.
Wear protective gloves. Wear eye / face protection. Wear protective clothing.
Use only outdoors or in a well-ventilated area
Keep in original or other corrosion resistant container.

Response:

-Eyes

IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

-Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse.

| | |
|--|---|
| -Inhalation: | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| -Ingestion: | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. |
| -Specific Treatment: | See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information. |
| Fire: | In case of fire: Use water spray (fog), carbon dioxide, foam, dry chemical for extinction, Do not use organic compounds to extinguish fire |
| Spill: | Absorb spillage to prevent material damage. |
| Storage: | Store locked up. Store in corrosion resistant container. Store in a well-ventilated place. Keep container tightly closed. |
| Disposal: | Dispose of contents and container in accordance with local, state and federal regulations. |
| Hazards Not Otherwise Classified: | Not Applicable |
| Other Information: | <ul style="list-style-type: none"> • Corrosive. • Harmful if swallowed • Do not mix with hypochlorite-type bleach or other household chemicals as hazardous vapors or gases may be produced. • NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. • Contains hydrogen peroxide. Ingestion may result in distention of esophagus and stomach. • Keep out of reach of children. |

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|-------------------|-----------|----------|
| Water | 7732-18-5 | 40-70 |
| Hydrogen Peroxide | 7722-84-1 | 10-30 |
| Peroxyacetic Acid | 79-21-0 | 3-7 |
| Acetic Acid | 64-19-7 | 3-7 |

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

| | |
|----------------------------|---|
| -Eye Contact: | Rinse cautiously with water for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. |
| -Skin Contact: | Take off immediately all contaminated clothing and shoes. Rinse with water or shower for at least 20 minutes. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Wash contaminated clothing before reuse. |
| -Inhalation: | Remove victim to fresh air and keep at rest in a position comfortable for breathing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. |
| -Ingestion: | Rinse mouth. Do NOT induce vomiting. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Never give anything by mouth to an unconscious person. |
| Note to Physicians: | NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Contains hydrogen peroxide. Ingestion may result in distention of esophagus and stomach. |

5. FIRE-FIGHTING MEASURES

| | |
|--|---|
| Suitable Extinguishing Media: | Use, Water spray (fog), Carbon dioxide, Foam, Dry chemical, Do not use organic compounds to extinguish fire |
| Specific Hazards Arising from the Chemical: | Combustion products are toxic. Releases oxygen when heated to decomposition which may intensify fire. Risk of overpressure and bursting due to decomposition in containers, pipes and other confined spaces. May cause fire in contact with wood, cardboard or other flammable organic materials. |
| Hazardous Combustion Products: | May include Carbon monoxide and other toxic gases or vapors. On decomposition product releases oxygen which may intensify fire |

Protective Equipment and Precautions for Firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Dilute with plenty of water.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:
Environmental Precautions:
Methods for Clean-Up:

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Do not rinse spill onto the ground, into storm sewers or bodies of water. Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Disposal container should not be made of metal. Disposal container must be vented due to possible decomposition and pressure build-up. Do not return spilled product into its original container for re-use due to possible decomposition and pressure build-up.

7. HANDLING AND STORAGE

Advice on Safe Handling:

Handle in accordance with good industrial hygiene and safety practice. Do not return product to original container. Do not confine product in unvented containers or between closed valves. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Wash thoroughly after handling.

Storage Conditions:

Store containers upright and tightly closed using vented closures to prevent pressure build-up. Store in a cool, well ventilated place. Elevated temperatures accelerate product decomposition. Do not confine product in unvented containers or between closed valves. Keep away from flammable substances. Keep out of the reach of children.

Incompatible Materials:

Wood, cardboard or other flammable organic materials. Sodium hypochlorite (or other hypochlorites). Metals.

Suggested Shelf Life:

1 year from date of manufacture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH |
|--------------------------------|--|--|--|
| Hydrogen Peroxide 7722-84-1 | TWA: 1 ppm | TWA: 1 ppm TWA: 1.4 mg/m ³ (vacated) TWA: 1 ppm (vacated) TWA: 1.4 mg/m ³ | IDLH: 75 ppm TWA: 1 ppm TWA: 1.4 mg/m ³ |
| Peroxyacetic Acid 79-21-0 | STEL: 0.4 ppm inhalable fraction and vapor | - | - |
| Acetic Acid 64-19-7 | STEL: 15 ppm TWA: 10 ppm | TWA: 10 ppm TWA: 25 mg/m ³ (vacated) TWA: 10 ppm (vacated) TWA: 25 mg/m ³ | IDLH: 50 ppm TWA: 10 ppm TWA: 25 mg/m ³ STEL: 15 ppm STEL: 37 mg/m ³ |

Engineering Controls:

Provide good general ventilation. If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered. Eye wash stations and shower facilities should be readily accessible in areas where the product is handled.

Personal Protective Equipment**Eye/Face Protection:**

Wear splash goggles. For severe use-conditions, wear a face shield over the goggles.

Skin and Body Protection:

Wear rubber or other chemical-resistant gloves. Use of impervious apron, boots and other protective equipment should be considered in order to prevent or minimize contact with this product.

| | |
|--|---|
| Respiratory Protection: | If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered. Respirator selection must be made by a technically qualified person who is familiar with the specific work conditions. |
| General Hygiene Considerations: | Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--|---------------------------|
| Appearance/Physical State: | Liquid |
| Color: | Colorless |
| Odor: | Vinegar odor |
| pH: | < 1.0 |
| Melting Point / Freezing Point: | No information available. |
| Boiling Point / Boiling Range: | No information available |
| Flash Point: | > 93 °C / > 199 °F |
| Evaporation Rate: | < 1.0 (Butyl acetate = 1) |
| Flammability (solid, gas) | No information available. |
| Upper Flammability Limit: | No information available. |
| Lower Flammability Limit: | No information available. |
| Vapor Pressure: | No information available. |
| Vapor Density: | No information available. |
| Specific Gravity: | 1.12 |
| Solubility(ies): | Soluble in water |
| Partition Coefficient: | No information available. |
| Autoignition Temperature: | > 270 °C / > 518 °F |
| Decomposition Temperature: | No information available. |
| Viscosity: | No information available. |

10. STABILITY AND REACTIVITY

| | |
|--|--|
| Reactivity: | Reactive with bases, metals, reducing agents and combustible materials. |
| Chemical Stability: | Stable under normal conditions. |
| Possibility of Hazardous Reactions: | Contact with sodium hypochlorite (or other hypochlorites) releases chlorine gas. Contact with metals and organic matter may result in fire and explosion. |
| Conditions to Avoid: | High temperature accelerates decomposition of product. Use of product in unvented systems (sealed pipes, containers and other confined spaces) risks overpressure and bursting due to decomposition. |
| Incompatible Materials: | Wood, cardboard or other flammable organic materials. Sodium hypochlorite (or other hypochlorites). Metals. |
| Hazardous Decomposition Products: | May include carbon monoxide, carbon dioxide (CO ₂) and other toxic gases or vapors. Releases oxygen when heated to decomposition which may intensify fire. |

11. TOXICOLOGICAL INFORMATION

| | |
|--|--|
| Likely Routes of Exposure: | Eyes, Skin, Ingestion, Inhalation. |
| Symptoms of Exposure: | |
| -Eye Contact: | Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause permanent damage. |
| -Skin Contact: | Pain, redness, blistering and possible chemical burn. |
| -Inhalation: | Irritation or damage to the mucus membranes of the respiratory tract. Nasal discomfort and coughing. |
| -Ingestion: | Damage or chemical burns to mouth, throat and stomach. Pain, nausea, vomiting and diarrhea. Contains hydrogen peroxide. Ingestion may result in distention of esophagus and stomach. |
| Immediate, Delayed, Chronic Effects | |
| Product Information: | Data not available or insufficient for classification. |
| Target Organ Effects: | -Eyes. Respiratory System. -Skin. Teeth. |
| Numerical Measures of Toxicity | |

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 4395 mg/kg
 ATEmix (dermal): 10902 mg/kg
 ATEmix (inhalation-dust/mist): 6 mg/l

Component Acute Toxicity Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------------|----------------------|--|----------------------------------|
| Water 7732-18-5 | > 90 mL/kg (Rat) | Not Available | Not Available |
| Hydrogen Peroxide 7722-84-1 | = 1518 mg/kg (Rat) | = 2000 mg/kg (Rabbit) = 4060 mg/kg (Rat) | = 2 g/m ³ (Rat) 4 h |
| Peroxyacetic Acid 79-21-0 | = 1540 mg/kg (Rat) | = 1410 µL/kg (Rabbit) | Not Available |
| Acetic Acid 64-19-7 | = 3310 mg/kg (Rat) | = 1060 mg/kg (Rabbit) | = 11.4 mg/L (Rat) 4 h |

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/Aquatic Plants | Fish | Toxicity to Microorganisms | Crustacea |
|--------------------------------|----------------------|--|----------------------------|--|
| Hydrogen Peroxide 7722-84-1 | Not Available | 16.4: 96 h Pimephales promelas mg/L LC50 18 - 56: 96 h Lepomis macrochirus mg/L LC50 static 10.0 - 32.0: 96 h Oncorhynchus mykiss mg/L LC50 static | Not Available | 18 - 32: 48 h Daphnia magna mg/L EC50 Static |
| Acetic Acid 64-19-7 | Not Available | 79: 96 h Pimephales promelas mg/L LC50 static 75: 96 h Lepomis macrochirus mg/L LC50 static | Not Available | 65: 48 h Daphnia magna mg/L EC50 Static |

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

Other Adverse Effects: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Dispose of in accordance with federal, state and local regulations.
Contaminated Packaging: Dispose of in accordance with federal, state and local regulations.
US EPA Waste Number: D002, D001

14. TRANSPORT INFORMATION

DOT:

UN/ID No:

Proper Shipping Name:

UN3098

Oxidizing liquid, corrosive, n.o.s., (contains hydrogen peroxide and peroxyacetic acid mixture, stabilized)

Hazard Class:

Subsidiary Class:

5.1

8

Packing Group:

Special Provisions:

II

Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

IMDG:
UN/ID No: UN3098
Proper Shipping Name: Oxidizing liquid, corrosive, n.o.s., (contains hydrogen peroxide and peroxyacetic acid mixture, stabilized)
Hazard Class: 5.1
Subsidiary hazard class: 8
Packing Group: II

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product contains the following listed substances:

Peroxyacetic Acid

CAS No 79-21-0

SARA 311/312 Hazard Categories

| | |
|---|-----|
| Acute Health Hazard: | Yes |
| Chronic Health Hazard: | No |
| Fire Hazard: | No |
| Sudden release of pressure hazard: | No |
| Reactive Hazard: | Yes |

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

EPA Pesticide Registration Number: 63838-1-5741

EPA Statement:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label:

DANGER CORROSIVE: Do not enter an enclosed area without proper respiratory protection. Causes irreversible eye damage and skin burns. May be fatal if inhaled or absorbed through the skin. Harmful if swallowed. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Wear goggles and face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

16. OTHER INFORMATION

| | | | | |
|-------------|--------------------------|------------------------|----------------------------|--------------------|
| NFPA | Health Hazards: 3 | Flammability: 1 | Instability: 1 | Special: OX |
| HMIS | Health Hazards: 3 | Flammability: 1 | Physical Hazards: 1 | |

Revision Date: 04-Apr-2019

Reasons for Revision: Section, 13

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet